

### Access Central™

### Management software







Please also reference "IT Manager's Guide" and "Best Practice Guide" available from pacgdx.com.

#### Access Central™ – PAC management software (from version 5.4.0 onwards)

Access Central™ is a powerful software management platform designed to support businesses from commercial, educational, military and blue-light sectors. It comes complete with access control, and building management features and capabilities dedicated to supporting a wide range of security applications.

- · Comprehensive access control management by keyholders, doors, areas and access groups.
- Easy building management expansion including lift control, monitoring / controlling 3rd party equipment, and alarm management.
- IT friendly deployment onto Windows based servers utilising Microsoft AD, web browser access and more.
- Enhanced security and safety using PAC's Event To Action engine for proactive responses.
- · Monitoring and alarm management for all access control events and reporting.
- · 3rd party Integration options with pre-built configurations or via our API.

Part Number(s)	13490/1.00 Management: Access Central™ SE licence 13491/1.00 Management: Access Central™ Pro licence  PAC-MGT-CB-AC-MN-XX Pre-configured Cube with Access Central™ Mini Cube PAC-MGT-CB-AC-SE-XX Pre-configured Cube with Access Central™ Cube
Feature Packs (indicates upgradeable feature)	13492/1.00 Management: Option - Access Central™ 212 Controller support 13493/1.00 Management: Option - Access Central™ Browser interface 13494/1.00 Management: Option - Access Central™ Active Directory 13495/1.00 Management: Option - Access Central™ Token format

USER licence options	Mini	Standard	Professional
Keys	1000	25000	75000
Keyholders	✓	✓	$\checkmark$
Operators	5	25	100
Unused Key Expiry	✓	✓	$\checkmark$
Guest Access End Dates	X	$\checkmark$	$\checkmark$







# Access Central™

# Management software

No. of Doors  No. of Time Profiles  No. of Holiday Profiles  No. of Access Groups  Event To Action Manager  Areas  Area Management	20 5 2 20 √ √ X 10	250* 20 5 1000  ✓ X 20	2000 2000 200 5000 ✓
No. of Holiday Profiles No. of Access Groups Event To Action Manager Areas	2 20 ✓ ✓	5 1000 ✓ ✓ X	200 5000 ✓
No. of Access Groups Event To Action Manager Areas	20 √ √	1000 ✓  ✓  X	5000 ✓ ✓
Event To Action Manager Areas	√ √ X	√ √ X	√ √
Areas	√ X	√ X	$\checkmark$
	Х	X	
Area Management			✓
	10	20	
No. of Lifts		<b>Z</b> U	100
Lift Call	✓	✓	✓
Lift Control	✓	✓	✓
CCTV integration	✓	$\checkmark$	✓
Occupancy Tracking	✓	X	✓
Managed Entrance	✓	X	✓
Global Anti-Passback	✓	X	✓
Guard Tour	✓	X	$\checkmark$
Time Zones	✓	✓	✓
ID Card Designer	✓	✓	✓
Access Options	✓	✓	X
Alarm Management	✓	$\checkmark$	$\checkmark$
Alarm and Event Archiving	✓	✓	✓
PC Pop-up Alerts	✓	✓	$\checkmark$
Personal Access	✓	✓	✓
Area Mode Profiles	X	$\checkmark$	$\checkmark$
Door Mode Profiles	✓	✓	✓
Reader Mode Profiles	✓	$\checkmark$	$\checkmark$
No. of Muster Points	1	10	100
Site Map Designer	$\checkmark$	✓	✓
Token Formats	Χ	Feature Pack 13495/1.00	✓
Visual Verification	$\checkmark$	✓	$\checkmark$
Local Anti-Passback	$\checkmark$	✓	✓
Event Relay	$\checkmark$	✓	✓

<sup>\*</sup> Call Customer Services +44 (0)1707 377203 to upgrade



## Access Central™

# Management software

SYSTEM licence options	Mini	Standard	Professional
Org Units	1	5*	100
Client PCs	1**	5	15
Alarm Workstations	1**	2	8
Web Browser Interface	1**	Feature Pack 13493/1.00	✓
Active Directory	X	Feature Pack 13494/1.00	Feature Pack 13494/1.00

<sup>\*</sup> Call Customer Services +44 (0)1707 377203 to upgrade

<sup>\*\*</sup> Only one session of the GUI can be started - concurrent running is not possible

HARDWARE licence options	Mini	Standard	Professional
IP channels support	✓	✓	✓
Dialup channels	X	50	750
Over-Air-IP	✓	✓	✓
500 series controller - IP channel	5 max. per channel	24 max. per channel	24 max. per channel
512 DC controller - dialup channel	X	4 max. per channel	4 max. per channel
500 series controller - IP Modem connection	4 max. per channel	4 max. per channel	4 max. per channel
520/530 I/O controller support	4 max. per channel	4 max. per channel	4 max. per channel
520/530 I/O controllers - 511/512 DCi channel	✓	✓	$\checkmark$
Biometric Reader Support	✓	$\checkmark$	$\checkmark$